

EDELSTAHLROHRE NAHTLOS UND GESCHWEIßT/STAINLESS STEEL PIPES AND TUBES, SEAMLESS AND WELDED

AD		WD		kg/m	TP304/L	TP316/L	TP321/H	TP316ti	TP347/H	TP317L	UNS31803	UNS32760
13,72	x	2,24	1/4"sch40S	0,644	s	s						
13,72	x	3,02	1/4"sch80S	0,809	s	s						
17,15	x	2,31	3/8"sch40S	0,858	s	s						
17,15	x	3,2	3/8"sch80S	1,118	s	s						
21,34	x	2,11	1/2"sch10S	1,016	s	s	s		s			
21,34	x	2,77	1/2"sch40S	1,288	s	s	s		s		s	s
21,3	x	3,73	1/2"sch80S	1,645	s	s	s	s	s		s	s
21,3	x	4,78	1/2"sch160	1,982	s	s	s		s		s	
21,3	x	7,47	1/2"schXXS	2,594	s	s			s			
26,67	x	2,11	3/4"sch10S	1,298	s	s			s			
26,67	x	2,87	3/4"sch40S	1,710	s	s	s	s	s		s	s
26,67	x	3,91	3/4"sch80S	2,228	s	s	s	s	s		s	s
26,67	x	5,56	3/4"sch160	2,939	s	s	s		s		s	
26,67	x	7,82	3/4"schXXS	3,691	s	s			s			
33,4	x	2,77	1"sch10S	2,125	s/w	s/w			s		s	
33,4	x	3,38	1"sch40S	2,541	s/w	s	s	s	s	s	s	s
33,4	x	4,55	1"sch80S	3,287	s	s	s		s	s	s	s
33,4	x	6,35	1"sch160	4,301	s	s	s		s	s	s	s
33,4	x	9,09	1"schXXS	5,533	s	s	s		s			
42,16	x	2,77	1.1/4"sch10S	2,732	s	s						

42,16	x	3,56	1.1/4"sch40S	3,441	s	s/w	s		s		s	s
42,16	x	4,85	1.1/4"sch80S	4,531	s	s	s		s			s
42,16	x	6,35	1.1/4"sch160	5,694	s	s	s					
42,16	x	9,7	1.1/4"schXXS	7,884	s	s						
48,26	x	2,77	1.1/2"sch10S	3,155	s/w	s/w	s		s	s	s	s
48,26	x	3,68	1.1/2"sch40S	4,108	s/w	s/w	s	s	s	s	s	s
48,26	x	5,08	1.1/2"sch80S	5,493	s	s	s	s	s	s	s	s
48,26	x	7,14	1.1/2"sch160	7,352	s	s	s		s		s	
48,26	x	10,15	1.1/2"schXXS	9,686	s	s	s		s			
60,3	x	2,77	2"sch10S	3,992	s/w	s/w	s		s	s	s	s
60,3	x	3,91	2"sch40S	5,524	s/w	s/w	s		s	s	s	s
60,3	x	5,54	2"sch80S	7,601	s	s	s	s	s	s	s	s
60,3	x	8,74	2"sch160	11,290	s	s	s		s	s	s	s
60,3	x	11,07	2"schXXS	13,655	s	s	s		s		s	s
73,03	x	3,05	2.1/2"sch10S	5,345	s/w	s/w	s				s	s
73,03	x	5,16	2.1/2"sch40S	8,769	s/w	s/w	s	s	s		s	
73,03	x	7,01	2.1/2"sch80S	11,589	s	s	s				s	
73,03	x	9,53	2.1/2"sch160	15,153	s	s	s					
73,03	x	14,02	2.1/2"schXXS	20,716	s	s						
88,9	x	3,05	3"sch10S	6,557	s/w	s/w	s	w	s	s	s	s
88,9	x	5,49	3"sch40S	11,466	s/w	s/w	s	s	s	s	s	s
88,9	x	7,62	3"sch80S	15,509	s	s/w	s	s	s	s	s	
88,9	x	11,13	3"sch160	21,674	s	s	s	s	s	s	s	
88,9	x	15,24	3"schXXS	28,109	s	s	s		s		s	

101,6	x	5,74	3.1/2"sch40S	13,778	s/w	s/w	s	s				
101,6	x	8,08	3.1/2"sch80S	18,921	s	s	s	s				
114,3	x	3,05	4"sch10S	8,496	s/w	s/w	s/w		s		s/w	s
114,3	x	6,02	4"sch40S	16,322	s/w	s/w	s	s	s	s	s	s
114,3	x	8,56	4"sch80S	22,665	s	s	s	s	s	s	s	s
114,3	x	11,13	4"sch120	28,753	s	s	s				s	s
114,3	x	13,49	4"sch160	34,053	s	s	s	s	s	s	s	
114,3	x	17,12	4"schXXS	41,660	s	s	s		s		s	s
141,3	x	3,4	5"sch10S	11,740	s/w	s/w						
141,3	x	6,55	5"sch40S	22,101	s/w	s/w	s		s/w		s	
141,3	x	9,53	5"sch80S	31,444	s	s	s		s			
141,3	x	15,88	5"sch160	49,871	s	s						
141,3	x	19,05	5"schXXS	58,315	s	s						
168,3	x	3,4	6"sch10S	14,039	s/w	s/w	s		s		s	s
168,3	x	7,11	6"sch40S	28,697	s/w	s/w	s/w	s	s	s	s	s
168,3	x	10,97	6"sch80S	43,217	s/w	s	s	s	s		s	s
168,3	x	14,27	6"sch120	55,038	s	s/w	s		s		s	s
168,3	x	18,26	6"sch160	68,603	s	s	s		s	s	s	s
168,3	x	21,95	6"schXXS	80,438	s	s	s	s	s		s	s
219,1	x	3,76	8"sch10S	20,274	s/w	s/w	s				w	
219,1	x	6,35	8"sch20	33,828	s/w	s/w	s/w	s/w			w	
219,1	x	8,18	8"sch40S	43,202	s/w	s/w	s	s	s	s	s	s
219,1	x	12,7	8"sch80S	65,637	s/w	s/w	s	s	s	s	s	s
219,1	x	15,09	8"sch100	62,801			s	s	s		s	

219,1	x	18,26	8"sch120	91,830	s	s	s		s		s	s
219,1	x	20,62	8"sch140	102,480	s	s	s		s			
219,1	x	23,01	8"sch160	112,981	s	s/w	s	s	s			s
273		4,19	10"sch10S	28,203	s/w	s/w	w				w	
273	x	6,35	10"sch20	42,398	s/w	s/w	s/w					
273	x	9,27	10"sch40S/STD	61,217	s/w	s/w	s	s	s	s		
273	x	12,7	10"sch80S/XS	82,777	s/w	s/w	s	s	s			
273	x	15,09	10"sch80	97,452	s	s	s	s	s			
273	x	18,26	10" sch100	116,475	s	s	s/w					
273	x	21,44	10"sch120	135,052	s	s	s		s			
273	x	25,4	10"sch140/XXS	157,478	s	s	s		s			
273	x	28,58	10"sch160	174,918	s	s	s		s			
323,9	x	4,57	12"sch10S	36,542	s/w	s/w					w	
323,9	x	6,35	12"sch20	50,492	w	w						
323,9	x	9,52	12"sch40S/STD	74,942	s/w	s/w	s/w		s	s	w	
323,9	x	10,31	12"sch40	80,957	s	s	s	s	s			
323,9	x	12,7	12"sch80S/XS	98,964	s/w	s/w	s	s	s		w	
323,9	x	17,48	12"sch80	134,120	s	s	s		s			
323,9	x	21,44	12"sch100	162,378	s	s	s		s			
323,9	x	25,4	12"sch120/XXS	189,851	s	s	s		s			
323,9	x	28,58	12"sch140	211,344	s	s						
323,9	x	33,32	12"sch160	242,440	s	s/w	s		s			
355,6	x	4,78	14"sch10S	41,990	s/w	s/w					w	
355,6	x	6,35	14"sch10	55,532	w	w						

355,6	x	9,52	14"sch40S/std	82,499	s/w	s/w	s		s	s		
355,6	x	12,7	14" XS	109,045	s/w	s/w	s	s	s	s		
355,6	x	19,05	14"sch80	160,538	s/w	s			s			
355,6	x	23,83	14"sch100	197,968	s/w	s	s/w		s			
355,6	x	27,79	14"sch120	228,110		s			s			
355,6	x	31,75	14"sch140	257,467			s					
355,6	x	35,71	14"sch160	286,039	s	s	s					
406,4	x	4,78	16"sch10s	48,070	w	w	w				w	
406,4	x	6,35	16"sch10	63,610	w	w						
406,4	x	9,52	16"sch40S/std	94,609	s/w	s/w	s/w					
406,4	x	12,7	16"sch80S/XS	125,200	s/w	s/w	s		s	s		
406,4	x	16,66	16"sch60	162,586	s	s	s					
406,4	x	21,44	16"sch80	206,669	s	s	s					
406,4	x	26,19	16"sch100	249,341		w	s					
406,4	x	30,96	16"sch120	291,056	s	s		s	s			
406,4	x	40,46	16"sch160	370,741	s	s	s		s			
457,2	x	4,78	18"sch10s	54,151	w	w						
457,2	x	9,53	18"sch40s	106,828	w	w						
457,2	x	14,27	18"sch40	158,268	s	s			s			
457,2	x	19,05	18"sch60	209,003			w					
457,2	x	34,92	18"sch120	369,240	s							
508,0	x	5,54	20"sch10s	69,702	w	w						
508,0	x	9,53	20"sch40s	118,950	s/w	s/w	w					
508,0	x	12,70	20"sch80s	157,509	w	s/w				s		

508,0	x	15,09	20"sch40	186,248	s	s/w	s						
508,0	x	20,62	20"sch60	251,646			w						
508,0	x	50,00	20"sch160	573,416					s				
609,6	x	6,35	24"sch10s	95,919	w	w							
609,6	x	9,53	24"sch40s	143,195	w	w							
609,6	x	12,70	24"sch80s	189,819	w	w							
609,6	x	24,61	24"sch60	360,491		w							
609,6	x	38,89	24"sch100s	555,761		w							